



Marking to ATEX 94/9/EC Directive: Ex II 2 G Ex d IIC Gb / II 2 G Ex e IIC Gb / II 2 D Ex tb IIIC Db

Zone: 1, 2, 21, 22 , Gas Group IIC

Compliance with: IEC 60079-0:2011, IEC 60079-1:2007, IEC 60079-7:2007, IEC 60079-31:2008

EC Type Examination Certificate: ISSeP 12 ATEX 025U




FEATURES

- Reducers and Adaptors are a means of connection between equipment and cable gland or fittings.
- With different thread types or sizes. Threads available are ISO 965.1 metric, NPT, PG ...
- Manufactured as standard in brass. Alternative materials and plating are available upon request.



ADAPTOR



REDUCER

		ADAPTOR AND REDUCER SELECTION TABLE																								
		Male Thread																								
		Metric										NPT														
		M16	M20	M25	M32	M40	M50	M63	M75	M80	M90	M100	½"	¾"	1"	1 ¼"	1 ½"	2"	2 ½"	3"	3 ¼"	3 ½"	4"			
Metric	Metric																									
	M16																									
	M20																									
	M25																									
	M32																									
	M40																									
	M50																									
	M63																									
	M75																									
	M80																									
M90																										
M100																										
NPT	NPT																									
	½"																									
	¾"																									
	1"																									
	1 ¼"																									
	1 ½"																									
	2"																									
	2 ½"																									
	3"																									
	3 ¼"																									
	3 ½"																									
4"																										

- Adaptor
- Reducer
- Non-certified adaptor

نور محور فارس
تولید کننده تجهیزات الکتریکی ضد انفجار
NM SWITCHGEAR
Explosion Proof Electrical Supplies

